


AURA

ADD: Số 23 ngõ 28 Nguyễn Hồng, Đống Đa, Hà Nội
TEL: +84 963954969
E-mail: info@auralighting.vn
www.auralighting.vn





Feeling Light

AURA

Là một trong những công ty hàng đầu hoạt động trong lĩnh vực thiết kế chiếu sáng tại Việt Nam, Aura chuyên cung cấp giải pháp chiếu sáng cho các công trình với các dịch vụ tư vấn, thiết kế chiếu sáng và cung cấp thiết bị chiếu sáng. Chúng tôi là nhà phân phối của nhiều hãng đèn trên thế giới, với sản phẩm đa dạng, chất lượng đạt chuẩn đáp ứng mọi nhu cầu chiếu sáng nội thất và ngoại thất cho các công trình khách sạn, nhà hàng, biệt thự, liên kế, showroom, resort và các loại công trình khác.

Định hướng trở thành chuyên gia hàng đầu trong lĩnh vực chiếu sáng, tiên phong trong ứng dụng công nghệ, cùng với đội ngũ nhân sự nhiều năm kinh nghiệm trong lĩnh vực chiếu sáng, Aura tin tưởng sẽ mang đến giải pháp tối ưu đạt hiệu quả cao nhất, nâng tầm giá trị của công trình với với chi phí hợp lý nhất



Light

has a great effect on us humans. Not only does it allow us to see. Light stimulates us, and influences our moods and activity levels.

Good lighting contributes to comfortable, flexible and stimulating working environments. our lighting solutions help increase safety, and enhance productivity

Star

Power: 7W/12W/15W/20W

Cut-out size: Ø55mm/Ø75mm/Ø95mm

In Star series of products, the lamp body adopts split design and compact lamp structure, lamp body and the frame is easy to disassemble and install, the frame can embedded installation, improve construction and installation progress, it will not damage the ceiling when disassemble.

The exquisite electroplating surface treatment art, using unique nano dust - proof technology, the reflector surface has long been like new, it is also wear - resistant and anti - hard scratches



Tunable white 2700K-6000K

Tunable white enables you to perfectly illuminate workplain and ideally emphasise environment. Warm white light colours is suitable for relaxing and winter time, neutral white are ideal for helping maintain performance for a longer time



Dimable 0.1% - 100%

Dimable function give you flexibility to choose the preferred illuminance level

Zoomable

With the patent optical lens zoom design, the fixture can accurate tranforms beam angle to 17°, 25°, 36° in any time to meet the lighting requirement of different scenes and ilumina-tion objects



Cosmo

Power: 10W
Cut-out size: Ø75mm
Beam angle: 36°




Visual comfort

The deep hidden light source structure with excellent anti-glare control makes it ideal for commercial or residential spaces that require maximum visual comfort.


Fixed

It is used to illuminate the floor or other horizontal surfaces.



Adjustment

The light beam can be directed to vertical surface to highlight decorative articles.



Cosmo

Power: 10W/20W

Cut-out size: $\Phi 75\text{mm}/160\times 75\text{mm}$

Beam angle: 36°





Simplicity in a minimal form

The structure of module provides great convenience for installation and maintenance.

Single or dual modules are optional at request.

Control gear options: on/off, Dali, 0-10V, phase dimming.



ELLA

Power: 10W/15W/20W

Cut-out size: Ø75mm/Ø100mm

Beam angle: 24°/36°/60°

High-end downlight in recessed & trimless

ELLA is the latest evolution of VILLA downlight system.

In addition to aesthetic design, precise light control and great UGR, the versatility of ELLA, underwritten by its compact format and super modular design.

One LED Module shares numerous mounting rings.



Module structure

Adopting independent module design, the installation structure and lamp body are separated which makes maintenance or installation easy and convenient





Leo

Power: 15W

Cut-out size: $\Phi 75\text{mm}$


Beam angle: 24°

The unique ultra-thin shell design of this series makes it flexible to use in the Limited space of the ceiling, this reducing the construction difficulty. In addition, luminous surface no dark area, no point of light, uniform degree of highly consistent light effect, is Simple large space to provide basic lighting preferred products.

1 The maximum lamp body of 16° can adjust the Angle, which greatly facilitates the lighting needs of on-site debugging.

2 Can be combined with honeycomb grid, effectively prevent excess astigmatism.

3 Reflectors of different colors can be selected according to the ceiling and the overall color of the space.



Litte

Power: 3W
Cut-out size: Ø30mm
Beam angle: 24°

The lamp body can be adjusted to $\pm 25^\circ$, so that the function of the lamp is diversified and wall washing lighting and key lighting can be realized.
Create different lighting effects for modern buildings.

- 1 Ultra thin lamp body, suitable for low floor and high space.
- 2 Anti glare front ring, effectively reduce glare.
- 3 Sufficient heat-sink made of die-cast aluminum



Geo

Beam angle: 15°/24°

Miniature and elegant

The design for Mira series is to create ultimate visual comfort.
Cutout range from 30-60mm, suits for small cutout size of ceiling
and short distance which is less than 100mm.
Designed for a variety of compositions.



Eliau

Power: 6W

Cut-out size: Ø50mm

Beam angle: 24°

Very high visual comfort

Eliat has developed luminaires with special housing designs and highquality optical components specifically for demanding visual tasks to provide enhanced visual comfort.






Mira

Power: 3W/7W
Cut-out size: $\Phi 30\text{mm}/\Phi 50\text{mm}$
Beam angle: 15°/24°



The maximum lamp body of 25° can adjust the Angle, which greatly facilitates the lighting needs of on-site debugging.



Fitting in anti glare construction increases the cutoff angle. $\text{UGR} \leq 9$ achieves comfortable lighting environment.

Luci

Power: 7W/10W

Cut-out size: Ø55mm/Ø75mm

Beam angle: 24°/36°

Effectively reduce glare

The light is not perceived by those who live the space to guarantee a high visual comfort. The optical bench, set back from the recessed surface, hides from the view the light source. Inside the Cut off angle (45 °) The appliance appears as off



Lamp body



Light support



Light beam



Bright white Bright black Silver Silver mist Black light




Crown

Power: 10W/18W/25W

Cut-out size: Ø90mm/Ø120mm/Ø150mm

Beam angle: 60°



The light is not perceived by those who live the space to guarantee a high visual comfort. The optical bench, set back from the recessed surface, hides from the view the light source. Inside the Cut off angle (45 °) The appliance appears as off.

1 High purity aluminum reflective cup improves reflection efficiency.

2 Anti glare front ring, effectively reduce glare.

3 Sufficient heat-sink made of die-cast aluminum.





Lyss

Power: 20W

Cut-out size: 200mm*50mm

Beam angle: 36°/30°/75°

Very high visual comfort

Led linear light with top quality lens

High thermal conductive aluminum body metal black surface coating, free adjusted perfect wash wall effect

Is the first choice of lighting designers.



Spotlight



Downlight



Wallwasher





Xavia

Power: 10W/15W
Diameter: Ø78mm/Ø92mm

Easy installation, low glare

Surface mounted structure convenient for installation.
Adopt darklight reflector, the excellent low-glare control provides high visual comfort for the applications.




Lina

Power: 6W/12W/25W

Cut-out size: $\Phi 40\text{mm}/\Phi 65\text{mm}/\Phi 85\text{mm}$

Beam angle: $24^\circ/36^\circ$



6W

$\Phi 40\text{mm}$

12W

$\Phi 65\text{mm}$

25W

$\Phi 85\text{mm}$

Brightness, more than one

Three kinds of power specifications are available to suit different layers.



SINGLE



DUAL



TRIPLE



QUADRUPLE

Flexibility, more than one

Various installation structures are optional, family design, enhance visual unity;
Let the light move at will to maximize the value of light efficiency



Leger

Power: 5W

Cut-out size: Ø75mm

Beam angle: 24°

Spot recessed light

Recessed Led adjustment spot light with high purity molding, excellent and life - guaranteed heat sink design. 360° horizontally 45° tilt provides flexible projection demand.

Application: high end accent lighting areas.






Focus


Power: 10W/15W

Beam angle: Zoomable

Dimmer: Daili/0-10V/Triac



Color selection



Neva

Power: 12W/20W

Beam angle: 36°


CRI: 90

Track Light

Using high-quality LED chips, the light color is pure with excellent color consistency and high CRI.

Precise optical design, pure light color, perfect light spot to create excellent lightings.

Professional design is beneficial to heat dissipation, effectively extend the lifespan of the lamp






Pendant

Power: 20W/30W

Length: 1000mm/1200mm

Color temperature: 4000K/Tunable white

A hallmark of our approach is we like to design our products in families. This approach enables designers to solve all types of lighting challenges using a single, consistent but scalable form. Tunable white from 3000K to 6500K and any luminance level can be achieved through hand gesture control.



Maintain a stable connection

The copper wire is energized through the connector, and it is not easy to fall off or have poor contact

Magnetic track
50cm/100cm

90 degree angle
(exposed corner)

universal joint

90 degree
angle
(Flat angle)

90 degree
angle
(Internal
corner)

48V Power
drive



Linear System

48V Safe Vlotage

- PK 2.0 has 35 mm side four-wire 2-loop Guide.
- Suitable for surface mounted or suspended with 1000mm steel cable.
- Track Rail available with standard lengths 500mm and 1000mm.
- 'L' shape corner module available for flexible system.
- Linear Connector and Continuous Kit provided for continuous Track Rail connection.
- Insets available with Non Dim and 1-10V Dim.
- Various lighting insets with multiple lighting applications, Tool-free insert mounting by clip-in mechanism.




6W
Magnetic track adapted

12W
Adjustable lighting fixture

25W
Magnetic track adapted

Round Spotlight Insets


Three specifications are available, 6W/12W/25W
Flexible and adjustable, horizontal 355 degree adjustable/vertical 90 degree adjustable.
Supportable anti-glare accessories: honey comb/ Soft Lens/stripe/Square.



10W
5 beads



20W
10 beads



100°
±100° adjustable

Linear General Light

Can be used in combination, seamless stitching
Simple structure, easy installation, break the existing installation mode,
can achieve seamless splicing, no dead angle,
no dark area distribution of light scene.



20W
Accent lighting



15W
Polarized lighting



15W
Polarized lighting